



Fused spur units or connection units are an electrical switch with a built in fuse, designed for appliances that do not have or require a fused plug top. Fused spur units are also used for high powered electrical equipment with heavy continuous load, so that the appliance can be isolated by a single cable from a ring main for safety and maintenance purposes. 13A rated available with and without a double pole switch/neon.

Colour Insert suffix:

N/A

Technical information

Model No.	CV6PC	CV6NPC	CV6FPC	CV63PC	CV63NPC	CV63FPC
Description	13A fused spur	13A fused spur with neon	13A fused spur with neon and flex outlet	13A switched fused spur	13A switched fused spur with neon	13A switched fused spur with neon and flex outlet
Dimensions (mm)	88 (width) x 88 (height) x 7.5 (projection)					
Nett weight (kg)	0.179	0.181	0.187	0.188	0.188	0.181
Min. mounting depth	25mm					
Voltage	230V					
Load	13A					
IP rating	IP20					
Double pole	n/a			Yes		
Terminal capacity	3 x 2.5mm ² or 2 x 4mm ²					
Standard	BS-1363-4					
Warranty	15 years					
Construction	Premium grade steel					
Origin of manufacture	China					
Quality Assurance System	ISO9001					
Declaration of Conformity (held on file)	Yes					
EAN	5055832911746	5055832911777	5055832911807	5055832911654	5055832911685	5055832911715

